

Available online at www.sciencedirect.com



Aquaculture

Aquaculture 228 (2003) 403-405

www.elsevier.com/locate/aqua-online

## Contents of Aquaculture, Volume 228

## VOL. 228 NOS. 1-4 1 December 2003 Genetics Mitochondrial DNA and morphological identification of a new species of Crassostrea (Bivalvia: Ostreidae) cultured for centuries in the Pearl River Delta, Hong Kong, China K. Lam and B. Morton (Hong Kong, China)..... Mitochondrial and nuclear DNA sequence variation of presumed Crassostrea gigas and Crassostrea angulata specimens: a new oyster species in Hong Kong? 15 Evaluation of the progeny of second-generation Sydney rock oyster Saccostrea glomerata (Gould, 1850) breeding lines for resistance to QX disease Marteilia sydneyi 27 Production of androgenetic tiger barb, Puntius tetrazona 37 Selection against early maturity in large rainbow trout Oncorhynchus mykiss: the quantitative genetics of sexual dimorphism and genotype-by-environment interactions A. Kause (Jokioinen, Finland), O. Ritola, T. Paananen (Tervo, Finland), E. Mäntysaari 53 Response to three generations of selection for increased body weight in channel catfish, Ictalurus punctatus, grown in earthen ponds M.A. Rezk, R.O. Smitherman, J.C. Williams (Auburn, AL, USA), A. Nichols (Auburn, AL, Clemson, SC, USA), H. Kucuktas and R.A. Dunham (Auburn, AL, USA)..... 69 Dress-out and fillet yields of channel catfish, Ictalurus punctatus, blue catfish, Ictalurus furcatus, and their F<sub>1</sub>, F<sub>2</sub> and backcross hybrids 81 Assessing genetic diversity of domestic populations of channel catfish (Ictalurus punctatus) in Alabama using AFLP markers K. Mickett, C. Morton, J. Feng, P. Li, M. Simmons, D. Cao, R.A. Dunham and Z. Liu (Auburn, AL, USA)..... 91 **Husbandry and Management** The effects of temperature, Artemia enrichment, stocking density and light on the growth of juvenile seahorses, Hippocampus whitei (Bleeker, 1855), from Australia 107 Laboratory analysis of predation by cyclopoid copepods on first-feeding larvae of cultured Brazilian fishes 123 Sperm quality in relation to age and weight of white shrimp Litopenaeus vannamei B.P. Ceballos-Vázquez (La Paz, Mexico), C. Rosas (Campeche, Mexico) and I.S. Racotta (La 141 Paz, Mexico)

Effect of different temperature regimes on reproductive conditioning in the scallop Argopecten purpuratus	
G. Martínez and H. Pérez (Coquimbo, Chile)	153
M.E. Azim (Wageningen, The Netherlands), A. Milstein (Hof HaCarmel, Israel), M.A. Wahab (Mymensingh, Bangladesh) and M.C.J. Verdegam (Wageningen, The Netherlands) A comparative analysis of the fixed-input, computer modeling, and algal bioassay approaches for identifying pond fertilization requirements for semi-intensive aquaculture	169
C.F. Knud-Hansen (Klong Luang, Thailand; East Lansing, MI, USA), K.D. Hopkins (Hilo, HI, USA) and H. Guttman (Klong Luang, Thailand; Phnom Penh, Cambodia)	189
wolffish A. Foss, T.H. Evensen, T. Vollen and V. Øiestad (Tromsø, Norway)	215
Red coloration of oysters along the French Atlantic coast during the 1998 winter season: implication of nanoplanktonic cryptophytes	
A. Pastoureaud (Sète, France), C. Dupuy (La Rochelle, France), M.J. Chrétiennot-Dinet, F. Lantoine (Banyuls-sur-mer Cédex, France) and P. Loret (Vancouver, BC, Canada)	225
The effect of irradiance on the survival and growth of abalone postlarvae Haliotis fulgens fed Navicula incerta	220
R. Searcy-Bernal, C. Anguiano-Beltrán and A. Esparza-Hernández (Ensenada, Mexico) Prey selection by greenback flounder <i>Rhombosolea tapirina</i> (Günther) larvae	237
G.W. Shaw, P.M. Pankhurst and G.J. Purser (Launceston, Australia)	249
Evaluation of a fluorescent, alphanumeric tagging system for penaeid shrimp and its application in selective breeding programs	
S.M. Arce (Waimanalo, HI, USA), B.J. Argue (Aiea, HI, USA), D.A. Thompson (Olympia, WA, USA) and S.M. Moss (Waimanalo, HI, USA)	267
Incubation of silver catfish, Rhamdia quelen (Pimelodidae), eggs at different calcium and magnesium concentrations	
L.V.F. Silva, J.I. Golombieski and B. Baldisserotto (Santa Maria, Brazil)	279
Nutrition Polyunsaturated fatty acids in total lipid and phospholipids of chilean scallop Argopecten	
purpuratus (L.) larvae: effects of diet and temperature A. Farías (Puerto Montt, Chile), J.G. Bell (Stirling, UK), I. Uriarte (Puerto Montt, Chile) and	
J.R. Sargent (Stirling, UK)	289
gilthead seabream larvae ( <i>Sparus auratus</i> ) exposed to handling or daily salinity change W. Koven (Eilat, Israel), R. van Anholt (Nijmegen, The Netherlands), S. Lutzky, I. Ben Atia, O. Nixon, B. Ron and A. Tandler (Eilat, Israel)	307
Tissue expression of two $\alpha$ -amylase genes in the Pacific oyster <i>Crassostrea gigas</i> . Effects of two different food rations	307
A. Huvet, JY. Daniel, C. Quéré, S. Dubois, M. Prudence (Plouzané, France), A. Van Wormhoudt, D. Sellos (Concarneau, France), JF. Samain and J. Moal (Plouzané, France)	321
	321
Physiology and Endocrinology  Feasible predictive criteria for reproductive performance of white shrimp <i>Litopenaeus vannamei</i> : egg quality and female physiological condition	
F.G. Arcos, A.M. Ibarra, E. Palacios, C. Vazquez-Boucard and I.S. Racotta (La Paz, Mexico) The effect of light color on the growth of Chinese shrimp Fenneropenaeus chinensis	335
F. Wang, S. Dong, G. Huang, L. Wu, X. Tian and S. Ma (Qingdao, PR China)	351
Off-season maturation and spawning of <i>Penaeus semisulcatus</i> by eyestalk ablation and/or temperature-photoperiod regimes	
M. Aktaş (Antakya, Turkey), M. Kumlu and O.T. Eroldogan (Adana, Turkey)	361

Contents	of Aquaculture.	Volume	228

Induced sex change, spawning and larviculture of potato grouper, Epinephelus tukula	
SL. Yeh (Keelung, Tainan, Taiwan, ROC), QC. Dai, YT. Chu (Tainan, Taiwan, ROC),	
CM. Kuo (Ilan, Taiwan, ROC), YY. Ting (Tainan, Taiwan, ROC) and CF. Chang	
(Keelung, Taiwan, ROC)	371
Physiological involvement of DA in ovarian development of the freshwater giant prawn,	
Macrobrachium rosenbergii	
Y.N. Chen (Makung, Taiwan), H.F. Fan (Taipei, Taiwan), S.L. Hsieh and C.M. Kuo (I-lan,	
Taiwan)	383
Short communication	
Food intake and growth of largemouth bass ( <i>Micropterus salmoides</i> ) held under alternated light/dark cycle (12L:12D) or exposed to continuous light	
G. Petit, M. Beauchaud, J. Attia and B. Buisson (Saint-Étienne, France)	397
Contents of Aquaculture, Volume 228	403